

THE JAPANESE WEEKEND SCHOOL OF NEW YORK

THE JAPANESE EDUCATIONAL INSTITUTE OF NEW YORK

56 Harrison Street, Suite 503, New Rochelle, NY 10801

Tel:914-636-3770 Fax:914-636-7476

Email : hoshuko@jwsny.org

※この用紙は、アレルギー等でエピペンの必要な方のみ提出してください。

EpiPen Waiver Form

If your Child has allergies that require the use of an EpiPen, please fill out the section below and return to school prior to the start of the school year.

Thank you.

In case my child suffers an allergic reaction during The Japanese weekend school of New York school hours, The Japanese weekend school of New York staff member will administer an antidotal shot via an EpiPen. I will take all responsibility for this action, and will keep up the supply of EpiPens as needed.

signature of parent/guardian (保護者署名) date(日付)

※ () 内の項目を○で囲んで下さい

(W · LI) 校 (幼年中・幼年長・初等部・中等部・高等部)

年 組 児童生徒名

保護者氏名

The Japanese Weekend School of New York

EpiPen Order Form/Care Plan

Medication Form for Students with Allergic Reactions - To be completed by physician/authorized prescriber

Name: _____ Gender: M F School/Grade: _____ DOB: _____
Student Allergies: _____
Known Trigger: Ingestion Touch Sting Other(list) _____
Date of Order: _____ Order Expires End of School Year **OR** (list date): _____
Order Valid for Curent Year icluding Summer School (check box if applies)
Physician/Prescriber Signature: _____ Phone: _____
Parent/Guardian Signature: _____ Phone: _____

EpiPen Order
EpiPen Dose: (Circle one) .15mg .30mg
Student is able to self-administer: YES NO
Student may carry EpiPen on self: YES NO
(A back-up EpiPen must be kept in Health Room)
Date EpiPen Expires: _____
Possible Side Effects: _____

Oral Medication Order
Medication: _____
Does: _____ Strengths: _____
Frequency: _____
Date Medication Expires: _____
Possible Side Effects: _____

Student
Photo

Administration Choices (please check all that apply):
_____ Administer _____ for known or possible ingestion/touch/sting/other(list) _____
(oral medication) of _____
_____ Prior to onset of symptoms
_____ If student develops hives, rash, itchy mouth or other symptom(s)(list) _____
_____ After EpiPen is given
_____ Give EpiPen for known or possible ingrestion/touch/sting/other _____ of _____
_____ Prior to onset of suymptoms
_____ At first sign of any sumptoms(see back for list)
_____ Only if student develops throat/lung/heart symptoms or if two or more body systems are involved(see back for list)
Other Instructions: _____

Student Name: _____

Date: _____

Anaphylaxis Symptoms (by body systems)

Mouth/Nose

- Itching &/orswelling of lips, mouth or tongue
- Nasal congestion
- Runny, sniffing nose
- Sneezing

Throat

- Itching/tightness in throat
- Sore throat; throat clearing
- Hacking cough
- Hoarseness

Gastrointestinal

- Nausea
- Vomiting
- Abdominal cramps
- Diarrhea

** Call 911 as soon as symptoms of anaphylaxis are observed and the need to administer the EpiPen has been determined

** Call parent after administering EpiPen and contacting EMS services.

Skin

- Hives/wheals covering large areas of the body
- Itchy, red skin/rash
- Perception of feeling itchy all over
- Flushing, itching, burning
- Swelling, especially on face/chest

Lungs

- Difficulty breathing
- Chest tightness/pain
- Cough
- Wheezing
- Shortness of breath

Heart (cardiac)

- Dizziness, fainting
- Shock (drop in blood pressure, thready pulse)
- Palpitations
- Unconsciousness

INSTRUCTIONS TO GIVE EPIPEN:

1. Identify student.
2. Remove gray safety cap.
3. Place black tip against outer thigh.
4. Push firmly until you hear injector function (click). Hold in place 10 seconds.
5. Monitor student - Initiate CPR if necessary.
6. Begin CPR if necessary.

Oral Medication Administration

_____	_____	administered on _____	at _____	for _____	_____	_____
(Medication)	(Dose)	(Date)	(Time)	Symptomes/Reasons	Signature	
_____	_____	administered on _____	at _____	for _____	_____	_____
(Medication)	(Dose)	(Date)	(Time)	Symptomes/Reasons	Signature	
_____	_____	administered on _____	at _____	for _____	_____	_____
(Medication)	(Dose)	(Date)	(Time)	Symptomes/Reasons	Signature	

EpiPen **.15mg or .30mg** (circle one) was administered on _____ (date) at _____ (time) in **R L** (circle one) thigh.

by _____

Signature _____ Title _____

_____ was administered on _____ at _____ by _____

(Medication) (Dose) (Date) (Time) Signature/Title